Notice of Allowability	Application No.	Applicant(s)	
	09/747,220	SEGAN ET AL.	
	Examiner	Art Unit	
	Arrienne M. Lezak	2143	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	plication. If not included will be mailed in due course. THI	S ati∨e
1. This communication is responsive to <u>15 June 2005</u> .			
2. The allowed claim(s) is/are <u>55-70</u> .			
 3. ☐ Acknowledgment is made of a claim for foreign priority una a) ☐ All b) ☐ Some* c) ☐ None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE"	been received. been received in Application No cuments have been received in this	national stage application from the	e
noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	ENT of this application.		
4. A SUBSTITUTE OATH OR DECLARATION must be subminification (PTO-152) which give			
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date 10/6/05. Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the deposed of the property of the property of the deposed attached Examiner's comment regarding REQUIREMENT in the deposed of the property of the p	on's Patent Drawing Review (PTO- s Amendment / Comment or in the C 84(c)) should be written on the drawing the header according to 37 CFR 1.121(c sit of BIOLOGICAL MATERIAL r	Office action of the back) of d). nust be submitted. Note the	
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☑ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☑ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. Interview Summary Paper No./Mail Dat 8), 7. Examiner's Amendr 8. Examiner's Stateme 9. Other	te <u>10/6/05</u> .	

Art Unit: 2143

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Edward M. Weisz, Attorney for Applicant on Thursday, October 6th, 2005.

The application has been amended as follows:

Claim 44:

Please Cancel

Claim 55:

(Please insert at line 14) –character icon, <u>predetermined</u> user preferences,-
(Please insert at line 19) –provider <u>,and wherein the character enhancements are</u>

<u>obtained per predefined authorization rules from the service provider and/or the target</u>

<u>website in addition to the predetermined user references;</u> and—

Claim 63:

(Please insert at line 14) -character icon, <u>predetermined</u> user preferences,--

Art Unit: 2143

(Please insert at line 21) –service provider <u>and wherein the character enhancements</u>

are obtained per predefined authorization rules from the service provider and/or the target website in addition to the predetermined user references; and—

Drawings:

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: Specifically, drawings 3(a)-(c) have not been labeled. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance:

After extensive searching and analysis of the best prior art in light of Applicant's claimed invention, Examiner finds that the Chelliah '887, Farmer '830 and MUD/Smith/Cowan references all require a "centralized" client/service provider, (i.e.:

Application/Control Number: 09/747,220

Art Unit: 2143

electronic mall), server connection wherein there is no direct access between the client/consumer device and the individual suppliers of goods, (target websites/stores). In contrast, Applicant's invention allows for multiple communication paths wherein the user may access the service provider and the target website and moreover, the target website, using a unique user identifier, may access the user's record at the service provider without user intervention.

Thus, Examiner is persuaded by this unique use of the target website as a proxy device, between the user and the service provider, within the ecommerce system.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Examiner additionally distinguishes Patent Pub. US 2003/0050831 A1 to Klayh, as requiring the detection of customer activity, (client interaction), to trigger communication between network commerce components.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Arrienne M. Lezak whose telephone number is (571)-272-3916. The examiner can normally be reached on M-F 8:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A. Wiley can be reached on (571)-272-3923. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2143

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Arrienne M. Lezak Examiner Art Unit 2143

AML

BUNIOB JARDENCHONWAND PRIMARY EXAMINER